## ivoclar vivadeni:

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.03.2017

Version number 10

Revision: 17.03.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: <u>SR Vivodent DCL, SR Vivodent Plus DCL, SR Orthotyp DCL, SR</u> Postaris DCL, SR Ortholingual DCL, SR Orthoplane DCL

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

• Application of the substance / the mixture Manufacture of dental prothesis

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 FL-9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

*Tel:* +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

**SECTION 2: Hazards identification** 

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· 2.3 Other hazards Avoid breathing sanding dust /swarf.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Resin teeth based on polymethylmethacrylate

· Dangerous components: Void

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- General information: No special measures required.
- After inhalation: Grinding dust: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

(Contd. on page 2)

GB

Printing date 20.03.2017

Version number 10

Revision: 17.03.2017

## Trade name: SR Vivodent DCL, SR Vivodent Plus DCL, SR Orthotyp DCL, SR Postaris DCL, SR Ortholingual DCL, SR Orthoplane DCL

(Contd. of page 1)

• After eye contact:

Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Mechanical effects only.

- After swallowing: Grinding dust: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- *Only adequately trained personnel should handle this product. For use in dentistry only.*
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

Printing date 20.03.2017

Version number 10

Revision: 17.03.2017

## Trade name: SR Vivodent DCL, SR Vivodent Plus DCL, SR Orthotyp DCL, SR Postaris DCL, SR Ortholingual DCL, SR Orthoplane DCL

(Contd. of page 2)

• Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: • General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. • Respiratory protection: Mechanical processing: Use respiratory protective device against the effects of dust. • Protection of hands: Protective gloves should always be worn during mechanical and thermal processing. After use of gloves apply skin-cleaning agents and skin cosmetics. · Material of gloves Mechanical processing: Leather gloves Strong material gloves · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:

Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

9.1 Information on basic physical a	and chemical properties	
General Information Appearance:		
Form:	Solid	
Colour:	According to product specification	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	

Printing date 20.03.2017

Version number 10

Revision: 17.03.2017

## Trade name: SR Vivodent DCL, SR Vivodent Plus DCL, SR Orthotyp DCL, SR Postaris DCL, SR Ortholingual DCL, SR Orthoplane DCL

		(Contd. of page
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octano	l/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Solids content:	100.0 %	
• 9.2 Other information	No further relevant information available.	

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- $\cdot$  12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:
- $\cdot$  General notes: Generally not hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.

#### • **vPvB:** Not applicable.

(Contd. on page 5)

Printing date 20.03.2017

Version number 10

### Trade name: SR Vivodent DCL, SR Vivodent Plus DCL, SR Orthotyp DCL, SR Postaris DCL, SR Ortholingual DCL, SR Orthoplane DCL

(Contd. of page 4)

· 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

SECTION 14: Transport informat	ion
· 14.1 UN-Number · ADR,RID,ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR,RID,ADN, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR,RID,ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR,RID,ADN, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	Product is not classified as a dangerous good for transpor (ADR, IMDG, IATA).
· UN ''Model Regulation'':	Void

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 6)

GB -

Printing date 20.03.2017

Version number 10

Revision: 17.03.2017

## Trade name: SR Vivodent DCL, SR Vivodent Plus DCL, SR Orthotyp DCL, SR Postaris DCL, SR Ortholingual DCL, SR Orthoplane DCL

(Contd. of page 5)

GR

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

• \* Data compared to the previous version altered.